
SEALEY

THE TOOL COMPANY

PARTS INFORMATION

Trolley Jack 3 Tonne Long Reach High Lift

Model No. 3000HLC.V2



© Jack Sealey Limited

Trolley Jack 3 Tonne Long Reach High Lift

THE TOOL COMPANY

Model No. 3000HLC.V2

Item	Part No.	Description	Qty
1	SN16.S	Steel Nut M16 Zinc	2
2	SWM16.S	Spring Washer M16 Zinc	2
3	FWM16.S	Flat Washer M16 Zin	4
4	3000HLC.04	Wheel, Front fixed (D:90 W:40 B:25)	2
5	3000HLC.05	Front Wheel Bush	2
6	3000HLC.06	Left Side Frame	1
7	3000HLC.07	Front Wheel Shaft	1
8	3000HLC.08	Right Side Frame	1
9	3000HLC.09	Shaft (A)	5
10	SWM8.S	Spring Washer M8 Zinc	10
11	SN8.SD	Steel Nut M8 Domed Zinc	10
12	SN18.S	Steel Nut M18 Zinc	2
13	SWM18.S	Spring Washer M18 Zinc	2
14	SN12.S	Steel Nut M12 Zinc	2
15	SWM12.S	Spring Washer M12 Zinc	4
16	FWM12.S	Flat Washer M12 Zinc	2
17	3000HLC.17	Wheel, Rear Swivel Castor, Single Bolt (D:60 W:30 B:10 H:105)	2
18	SN12.SD	Steel Nut M12 Domed Zinc	2
19	3000HLC.19	Shaft (B)	1
20	3000HLC.20	Retainer Ring 16mm	8
21	3000HLC.21	Pump Plunger Pin	1
22	3000HLC.22	Pump Plunger	1
23	3000HLC.23	Pin 3x16	1
24	3000HLC.24	Dustproof Ring	1
25	3000HLC.25	Pump Core Assembly	1
26	3000HLC.26	O-Ring, (Ex: 18.14 In: 13.46 Cs: 2.34)	1
27	3000HLC.27	Back Up-Ring	1
28	3000HLC.28	Y-Ring Blue	1
29	3000HLC.29	Pump Cylinder	1
30	3000HLC.30	Washer	1
31	3000HLC.31	Nylon Sleeve	1
32	3000HLC.32	Spring Conical	1
33	SB-6.0	Steel Ball 6.0mm	3
34	RE231.V3-P36	O-Ring, (Ex: 11.26 In: 6.02 Cs: 2.62) / O-ring, (Ex: 11.26 I	1
35	3000HLC.35	Release Valve Rod	1
36	3000HLC.36	Oil Filler Plug	1
37	3000HLC.37	Power Unit	1
38	3000HLC.38	Oil Strainer	1
39	3000HLC.39	Oil Seal	1

Item	Part No.	Description	Qty
40	3000HLC.40	Back Up-Ring	1
41	3000HLC.41	Piston Plug	1
42	3000HLC.42	Piston Rod	1
43	3000HLC.43	Retainer	2
44	3000HLC.44	O-Ring, (Ex: 49.86 In: 42.93 Cs: 3.97)	1
45	3000HLC.45	Snap Ring	1
46	SB-8.0	Steel Ball 8.0mm	1
47	3000HLC.47	Screw M10X1X10	1
48	SB-3.0	Steel Ball 3.0mm	1
49	3000HLC.49	Valve Seat	1
50	3000HLC.50	Spring Conical	1
51	3000HLC.51	Safety Valve Screw	1
52	WK025.V2-31	O-Ring, (Ex: 14.43 In: 9.19 Cs: 2.62)	1
53	3000HLC.53	Cap	1
54	3000HLC.54	Handle Return Spring (Right) Dia 32.7mm	1
55	3000HLC.55	Handle Return Spring (Left) Dia 32.7	1
56	3000HLC.56	Power Unit Shaft	1
57	3000HLC.57	Snap Ring 26mm	2
58	SN10.S	Steel Nut M10 Zinc	1
59	3000HLC.59	Pedal Link	1
60	3000HLC.60	Bolt M10X60	1
61	3000HLC.61	Foot Pedal	1
62	3000HLC.62	Pedal Link Pin	1
63	3000HLC.63	Retainer Ring 12	2
64	3000HLC.64	Handle Socket Pin	2
65	SN10.S	Steel Nut M10 Zinc	1
66	SWM10.S	Spring Washer M10 Zinc	1
67	FWM10.S	Flat Washer M10 Zinc	1
68	3000HLC.68	Handle Socket	1
69	3000HLC.69	Bolt M10X50	1
70	3000HLC.70	Control Rod	1
71	3000HLC.71	Jack Handle Assembly, Black, T-Shaped (c/w Grip, Control Rod, Pin & Release Knob) Ø32 x 1132 (Square Ø10mm)	1
72	3000HLC.72	Handle Grip For Jack Handle	1
73	3000HLC.73	Knob, Handle, Knurled, Coated Aluminium, OD: 48mm L: 43mm ID	1
74	3000HLC.74	Pin 4x40	1
75	3000HLC.75	Power Unit Spring Dia 15.6mm	2

© Jack Sealey Limited

Trolley Jack 3 Tonne Long Reach High Lift

Model No. 3000HLC.V2

Item	Part No.	Description	Qty
76	3000HLC.76	Top Cover	1
77	3000HLC.77	Pin 4x55	1
78	GNM19S	Grease Nipple Str 6 x 1.00mm Single	1
79	3000HLC.79	Lift Arm Shaft	1
80	3000HLC.80	Radius Link	2
81	3000HLC.81	Lifting Arm Assembly	1

Item	Part No.	Description	Qty
82	3000HLC.82	Lift Arm Pin	1
83	3000HLC.83	Saddle Pin	1
84	3000HLC.84	Saddle Carrier	1
85	3000HLC.85	Saddle	1
86	3000HLC.86	Spring	1
--	3000HLC.P	Complete Pump Ass'y (Not Shown)	1

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. See www.sealey.co.uk for the latest information.
Important: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent person.

Jack Sealey (EU) Ltd t/a Sealey Group Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland
Jack Sealey Ltd t/a Sealey Group Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK
Tel: 01284 757500 ▪ **Email:** sales@sealey.co.uk ▪ **Web:** www.sealey.co.uk

© Jack Sealey Limited