



4-SHELF EXTRA-WIDE GALVANIZED STEEL FLOOR CABINET

MODEL NO: **GSC110385.V3**

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instructions



Wear protective gloves

1. SAFETY

- GENERAL SAFETY**
- WARNING!** Ensure Health & Safety, local authority, and general workshop practice regulations are adhered to when using this cabinet.
- ✓ Locate cabinet in a suitable work area.
- ✓ Keep the work area clean, uncluttered and ensure there is adequate lighting.
- WARNING!** Use cabinet on level and solid ground, preferably concrete.
- ✓ Keep the cabinet clean and tidy in accordance with good workshop practice.
- ✓ Keep children and unauthorised persons away from the work area.
- * **DO NOT** use the cabinet for any purpose other than that for which it is designed.
- * **DO NOT** use the cabinet outdoors.
- * **DO NOT** place the cabinet in a damp or wet location or an area where there is condensation.
- * **DO NOT** clean the cabinet with any solvents which may damage the surfaces or the protective coating.
- * **DO NOT** move the cabinet when there are items placed inside.
- * **DO NOT** step on the shelves.
- * **DO NOT** overload the cabinet.

2. INTRODUCTION

Floor standing galvanized steel cabinet with lockable double doors. Fitted with four adjustable shelves and base storage. Supplied with four keys. Ideal for factory, workshop or home use. Features two rear wiring grommets allowing power tool batteries and other devices to be charged whilst in storage. Floor cabinet is supplied flat-packed and will need some assembly.


3. SPECIFICATION

Model No GSC110385.V3
 Overall Size (W x D x H) 1100 x 400 x 1830mm
 Shelf Size (W x D x H) 1095 x 370 x 20mm
 Shelves 4

4. ASSEMBLY

- 4.1. Unpack the unit and confirm that all the parts listed (fig.1).
- 4.2. Assemble the unit on a solid level surface.
- 4.3. The assistance of a second person will be required.
- 4.4. To assemble the unit you will require a rubber mallet and a cross-head screwdriver.
- 4.5. Where practical fix unit to a wall for extra strength and durability.







Item no.	Description	Qty.	Part no.
1	Doors	1	
2	Rear Panel	1	
3	Side (LH)	1	
4	Side (RH)	1	
5	Base	1	
6	Top	1	
7	Shelf	4	

NOTE: It is advisable to have at least two people (wearing gloves) working together to assemble this unit.

Step 1 - fig.2

Lay rear panel (fig.1.2) on floor and offer up side panels (fig1.3, fig.1.4) to the relevant sides. **NOTE** the side panels are handed. Using only the lower two holes in the side panels, screw them in place to the rear panel. **DO NOT** fix the upper screw holes at this stage. See Step 3.




Step 2 - fig.3

Stand the assembly upright and offer up the door front section (fig.1.1) to fit into the cut outs in the side panels. This will require at least two people to support the structure whilst assembling this stage.



Step 3 - fig.4

Place floor section (fig.1.6) in situ and press down firmly to engage it with the other panels. Note the location of the cutouts to avoid the door frame central support.



Step 4 - fig.4, fig.5

Place roof panel (fig.1.5) in situ and screw in place using three holes in the rear edge of the panel. Use a flat bladed screw driver to deform the 'H' slot such that it engages with the slot in the front panel (fig.X.).



Step 5

Arrange shelf supports to suit your requirements. See parts list for description.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Please note that other versions of this product are available. If you require documentation for alternative versions, please email or call our technical team on technical@sealey.co.uk or 01284 757505.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757500



01284 703534



sales@sealey.co.uk



www.sealey.co.uk