

Section 1. Product and Company Identification.

1.1 Model Number: SCS572 v1

1.2 Description: Air & Brake Line Sealant 50ml

Unique Formula Identifier (UFI): K82X-MUSD-H00M-NFGS

1.3 Manufacturer;

Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

1.4 Emergency telephone number; 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 17/02/2015

Section 2. Hazards Identification.

2.1 Classification of the substance or mixture.

XXX

2.2 Label elements.

Hazard pictogram(s)





Signal Word.

Warning

Hazard statements;

EUH208: Contains 1-acetyl-2-phenylhydrazine. May produce an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects



Section 2 continued.

Precautionary statements;

P264: Wash contaminated skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see information on this label).

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container to comply with Local, National and International regulations.

2.3 Other hazards.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3. Substances.

			Classif	ication
3.1 Chemical Name (substance)	3.1 CAS No.	3.2 Concentration	Hazard Class &	Hazard
((((((((((((((((((((Weight	Category Code	Statements ¹
POLYGLYCOL DIMETHACRYLATE	109-16-0	10-30%	-	-
BIS(ISOPROPYL)NAPHTHALENE	38640-62-9	10-30%	-	-
HYDROXYALKYL METHACRYLATE	27813-02-1	1-10%	-	-
CUMENE HYDROPEROXIDE	80-15-9	1-10%	Org. Perox. E	H242
			Acute Tox. 3	H331
			Acute Tox. 4	H312
			Acute Tox. 4	H302
			STOT RE 2	H373
			Skin Corr. 1B	H314
			Aquatic Chronic 2	H411
ACRYLIC ACID	79-10-7	<1%	Flam. Liq. 3	H226
			Acute Tox. 4	H332
			Acute Tox. 4	H312
			Acute Tox. 4	H302
			Skin Corr. 1A	H314
			Aquatic Acute 1	H400
1-ACETYL-2-PHENYLHYDRAZINE	114-83-0	<1%	-	-
N,N-DIMETHYL-P-TOLUIDINE	99-97-8	<1%	Acute Tox. 3	H331
			Acute Tox. 3	H311
			Acute Tox. 3	H301
			STOT RE 2	H373
			Aquatic Chronic 3	H412

¹For full text of Statements, see Section 16.



Section 4. First Aid Measures.

4.1 Description of first aid measures

First Aid measures, general. Call a poison centre or a doctor if unwell. Quote UFI in Section 1.2.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water. Consult a doctor.

Eye Contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed:

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely. **Ingestion:** There may be soreness and redness of the mouth and throat.

Nausea and stomach pain may occur. There may be vomiting.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

Section 5. Fire Fighting Measures.

5.1. Extinguishing media:

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture:

In combustion emits toxic fumes.

5.3. Advice for fire-fighters:

Wear self-contained breathing apparatus.

Wear protective clothing to prevent contact with skin and eyes.



Section 6. Accidental Release Measures.

6.1. Personal precautions, protective equipment and emergency procedures:

If outside do not approach from downwind.

If outside keep bystanders upwind and away from danger point.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up:

Absorb into dry earth or sand.

Transfer to a closable, labelled salvage container for disposal.

6.4. Reference to other sections:

See Section 7 for information on Safe Handling.

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.

Section 7. Handling and Storage.

7.1. Precautions for safe handling:

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities:

Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Intended for use as an Air & Brake Line Sealant, Model Number identified in 1.1 with Description stated in 1.2.



Section 8. Exposure Controls/Personal Protection.

8.1. Control parameters

P264: Wash contaminated skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see information on this label).

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container to comply with Local, National and International regulations.

8.2. Exposure controls

Appropriate Engineering Controls:

Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

Eye/Face Protection:

Safety glasses with side shields or chemical safety goggles.

Ensure eye bath is to hand.

Skin Protection:

EN 374 Chemical resistant protective gloves.

Wear suitable protective clothing.

Respiratory Protection:

Self-contained breathing apparatus must be available in case of emergency.



Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance: Liquid, pale yellow.
(b) Odour: Barely perceptible.
(c) Odour threshold; No data available.
(d) pH: No data available.
(e) Melting point/freezing point; No data available.

(f) Initial boiling point and boiling range; >35°C (g) Flash point; >93°C

(h) Evaporation rate; No information available.

(i) Flammability (solid, gas); Flammable.

(j) Upper/lower flammability or explosive limits;(k) Vapour pressure;(l) Vapour density;No data available.No data available.

(m) Relative density; 1.1

(n) Solubility(ies);
(o) Partition coefficient: n-octanol/water;
(p) Auto-ignition temperature;
(q) Decomposition temperature;
(r) Viscosity;
(s) Explosive properties;
(t) Oxidising properties.
Slightly soluble in water.
No data available.

9.2 Other information VOC g/I: 48.6

Section 10. Stability and Reactivity.

10.1. Reactivity Stable under recommended transport or storage conditions.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions Hazardous reactions will not occur under normal transport or

storage conditions.

Decomposition may occur on exposure to conditions or materials

listed below.

10.4. Conditions to avoid Heat.

10.5. Incompatible materials10.6. Hazardous decomposition products10.6. Hazardous decomposition products10.6. Hazardous decomposition products



Section 11. Toxicological Information.

11.1. Information on toxicological effects

Hazardous ingredients:

CUMENE HYDROPEROXIDE

ORL	MUS	LDLO	5	gm/kg
ORL	RAT	LD50	382	mg/kg
SCU	RAT	LD50	382	mg/kg

ACRYLIC ACID

IPR	RAT	LD50	22	mg/kg
ORL	MUS	LD50	830	mg/kg
ORL	RAT	LD50	1250	mg/kg
SCU	MUS	LD50	1590	mg/kg

N,N-DIMETHYL-P-TOLUIDIN

IDD	NALIC .	1050	242	/1
IPR	MUS	LD50	212	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH DRM ING	Hazardous: calculated
Irritation	OPT INH DRM	No hazard: calculated
Sensitisation	DRM	No hazard: calculated

LD50 = median lethal dose

MUS = mouse RBT = rabbit

DRM = dermal

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely. **Ingestion:** There may be soreness and redness of the mouth and throat.

Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.



Section 12. Ecological Information.

12.1. Toxicity
12.2. Persistence and degradability
12.3. Bioaccumulative potential
No data available.
No data available.

12.4. Mobility in soil Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment
 12.6. Other adverse effects
 This product is not identified as a PBT/vPvB substance.
 Toxic to aquatic organisms. Toxic to soil organisms.

Section 13. Disposal Considerations.

13.1. Waste treatment methods

Dispose of in accordance with local authority regulations.



F1

Section 14. Transport Information.

ADR. International Carriage of Dangerous Goods by Road.

14.1. UN number UN 3082

14.2. Name and Description Environmentally hazardous substance, liquid, n.o.s

> (BIS(ISOPROPYL)NAPHTHALENE) Label

Special Provisions 274, 335, 375, 601

Limited Quantities 5 L **Excepted Quantities**

Packing Instructions P001, IBC03, LP01, R001

Special Packaging Provisions MP19

14.3. Transport hazard class(es) Class

> Classification Code M6 **Transport Category** 3 Tunnel restriction code Ε

14.4. Packing group

14.5. Environmental hazards None as supplied. See Section 6 and Section 8 in case of incident.

14.6. Special precautions for user None as supplied. See Section 8 if handling contents.

IATA. International Air Transport Association.

14.1. UN number UN 3082

14.2. UN Proper Shipping Name/Description Environmentally hazardous substance, liquid, n.o.s

(BIS(ISOPROPYL)NAPHTHALENE)

Hazard Label. Miscellaneuos

Excepted Quantity Packaging Instructions Passenger 964 Ltd Qty Y964 964 Cargo **ERG Code** 9L

Special Provisions A97 A158 A197

14.3. Transport hazard class(es) Class or Division

14.4. Packing group

14.5. Environmental hazards None as supplied. See Section 6 and Section 8 in case of incident.

14.6. Special precautions for user None as supplied. See Section 8 if handling contents.

IMDG. International Maritime Dangerous Goods.

14.1. UN number UN 3082

14.2. UN proper shipping name Environmentally hazardous substance, liquid, n.o.s

(BIS(ISOPROPYL)NAPHTHALENE)

Special Provisions 274, 335 **Limited Quantities** 5 L **Excepted Quantities** E1

P001, LP01 **Packaging Instructions Packing Provisions** PP1 9

14.3. Transport hazard class(es) Class or Division Subsidiary Risk(s)

14.4. Packing group

14.5. Environmental hazards None as supplied. See Section 6 and Section 8 in case of incident.

14.6. Special precautions for user None as supplied. See Section 8 if handling contents. **14.7.** Transport in bulk – Maritime only. Bulk transport is not applicable to this product



Section 15. Regulatory Information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture No data available.

15.2. Chemical safety assessment No data available.

Section 16. Additional Information.

Full text of Statements used in Section 3;

H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their

particular purpose.

Issue level	Date	Revisions
1	31/03/2016	First issue.
2	15/01/2025	Section 1.2 Section 4

End of Safety Data Sheet.